

APPROVED  
UNDERLAYMENT, TURN  
DOWN VERTICALLY 3" MIN.

RIGID INSULATION

METAL DECK, BY  
OTHERS

FABRAL POWER SEAM  
PANEL

CAULK BETWEEN WEBS

CONTINUOUS 1" ANGLE.  
ATTACH TO PANELS W/ (2)  
RIVETS PER PANEL. ANGLE  
MUST NOT COME IN  
CONTACT WITH EAVE  
FLASHING

BUTYL TAPE SEALANT (ONLY  
REQ'D FOR SLOPES 2:12 OR LESS)

PANCAKE FASTENER, 12" O.C.

EAVE FLASHING

FASTENER, 12" O.C.

CLEAT

18 GA. STEEL BACK-UP  
PLATE OR WOOD BLOCKING,  
BY OTHERS

**FABRAL**<sup>®</sup>

Project:

Contractor:

THIS DRAWING IS THE  
PROPERTY OF FABRAL,  
INC. THE USE OF THIS  
DRAWING WITHOUT THE  
EXPRESS PERMISSION OF  
FABRAL IS PROHIBITED.

**FABRAL, INC.**  
3449 Hempland Road  
Lancaster, PA 17601  
800-477-2741

**FIXED EAVE DETAIL (FE-1)**

**POWER SEAM**

Issued:

APRIL 2012